

## Errata for §170.302 (c) Maintain up-to-date problem list

The purpose of this document is to record known technical corrections to v1.1 of the Maintain Up-to-Date Problem List test procedure. Errata for other test procedures are located in separate documents. Each erratum entry includes the following information:

- Entry number
- The date the errata was added to the document
- The test procedure version and date published
- The test procedure section
- A description of the correction
- The text prior to the revision and the revised text

### 1. Technical Correction to Test Data #1

**Date:** December 3, 2010

**TP Version:** Version 1.1, September 24, 2010

**TP Section:** Test Data, page 10

**Description:** Changed ICD-9 code for Chronic Obstructive Pulmonary Disease in TD170.302.c – 1:  
Record Problems – Ambulatory Setting.

**Text Prior to Revision:**

TD170.302.c – 1: Record Problems – Ambulatory Setting

Using ICD-9 Codes

- Cerebrovascular Accident, ICD-9 Code: V12.54, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)
- Recurrent Urinary Tract Infection, ICD-9 Code: V13.02, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010)
- Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)

**Revised Text:**

TD170.302.c – 1: Record Problems – Ambulatory Setting

Using ICD-9 Codes

- Cerebrovascular Accident, ICD-9 Code: V12.54, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)

- Recurrent Urinary Tract Infection, ICD-9 Code: V13.02, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010)
- **Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496**, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)

## 2. Technical Correction to Test Data #2

**Date:** December 3, 2010

**TP Version:** Version 1.1, September 24, 2010

**TP Section:** Test Data, page 10

**Description:** Changed ICD-9 code for Chronic Obstructive Pulmonary Disease in TD170.302.c – 2: Modify Problems – Ambulatory Setting.

### Text Prior to Revision:

TD170.302.c – 2: Modify Problems – Ambulatory Setting

**Modify the Status** of Urinary Tract Infection from Vendor-supplied (e.g. Active) to Vendor-supplied (e.g. Resolved), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

**Modify the Status** of Essential Hypertension from Vendor-supplied (e.g. Active) to Vendor-supplied (e.g. Inactive), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

### Revised Problem List

Using ICD-9 Codes

- Cerebrovascular Accident, ICD-9 Code: V12.54, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)
- Recurrent Urinary Tract Infection, ICD-9 Code: V13.02, **Status:** Vendor-supplied (e.g. Resolved), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)
- Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, **Status:** Vendor-supplied (e.g. Inactive), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

### Revised Text:

TD170.302.c – 2: Modify Problems – Ambulatory Setting

**Modify the Status** of Urinary Tract Infection from Vendor-supplied (e.g. Active) to Vendor-supplied (e.g. Resolved), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

**Modify the Status** of Essential Hypertension from Vendor-supplied (e.g. Active) to Vendor-supplied (e.g. Inactive), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

#### Revised Problem List

##### Using ICD-9 Codes

- Cerebrovascular Accident, ICD-9 Code: V12.54, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)
- Recurrent Urinary Tract Infection, ICD-9 Code: V13.02, **Status:** Vendor-supplied (e.g. Resolved), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)
- **Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496**, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, **Status:** Vendor-supplied (e.g. Inactive), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

### 3. Technical Correction to Test Data #3a

**Date:** December 3, 2010

**TP Version:** Version 1.1, September 24, 2010

**TP Section:** Test Data, page 11

**Description:** Changed ICD-9 code for Chronic Obstructive Pulmonary Disease in TD170.302.c – 3a: Retrieve Problems – Ambulatory Setting.

#### **Text Prior to Revision:**

TD170.302.c – 3a: Retrieve Problems – Ambulatory Setting

#### Active Problems only

##### Using ICD-9 Codes

- Cerebrovascular Accident, ICD-9 Code: V12.54, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)
- Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)

**Revised Text:**

TD170.302.c – 3a: Retrieve Problems – Ambulatory Setting

Active Problems only

Using ICD-9 Codes

- Cerebrovascular Accident, ICD-9 Code: V12.54, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)
- **Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496**, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)

#### 4. Technical Correction to Test Data #3b

**Date:** December 3, 2010

**TP Version:** Version 1.1, September 24, 2010

**TP Section:** Test Data, page 12

**Description:** Changed ICD-9 code for Chronic Obstructive Pulmonary Disease in TD170.302.c – 3b: Retrieve Problems – Ambulatory Setting.

**Text Prior to Revision:**

TD170.302.c – 3b: Retrieve Problem History – Ambulatory Setting

List of all Problems

Using ICD-9 Codes

- Cerebrovascular Accident, ICD-9 Code: V12.54, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)
- Recurrent Urinary Tract Infection, ICD-9 Code: V13.02, Status: Vendor-supplied (e.g. Resolved), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010), Date Modified: Vendor-supplied (e.g. August 29, 2010)
- Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Inactive), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010), Date Modified: Vendor-supplied (e.g. August 29, 2010)

**Revised Text:**

TD170.302.c – 3b: Retrieve Problem History – Ambulatory Setting

List of all Problems

Using ICD-9 Codes

- Cerebrovascular Accident, ICD-9 Code: V12.54, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)
- Recurrent Urinary Tract Infection, ICD-9 Code: V13.02, Status: Vendor-supplied (e.g. Resolved), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010), Date Modified: Vendor-supplied (e.g. August 29, 2010)
- **Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496**, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Inactive), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010), Date Modified: Vendor-supplied (e.g. August 29, 2010)

## 5. Technical Correction to Test Data #4

**Date:** December 3, 2010

**TP Version:** Version 1.1, September 24, 2010

**TP Section:** Test Data, page 12

**Description:** Changed ICD-9 code for Chronic Obstructive Pulmonary Disease in TD170.302.c – 4: Record Problems – Inpatient Setting.

**Text Prior to Revision:**

TD170.302.c – 4: Record Problems – Inpatient Setting

Using ICD-9 Codes

- Congestive Heart Failure, ICD-9 Code: 428.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)
- Acute Myocardial Infarction, ICD-9 Code: 410.90, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010)
- Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)

**Revised Text:**

TD170.302.c – 4: Record Problems – Inpatient Setting

Using ICD-9 Codes

- Congestive Heart Failure, ICD-9 Code: 428.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010)
- Acute Myocardial Infarction, ICD-9 Code: 410.90, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010)
- **Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496**, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)

## 6. Technical Correction to Test Data #5

**Date:** December 3, 2010

**TP Version:** Version 1.1, September 24, 2010

**TP Section:** Test Data, page 13

**Description:** Changed ICD-9 code for Chronic Obstructive Pulmonary Disease in TD170.302.c – 5: Modify Problems – Inpatient Setting.

**Text Prior to Revision:**

TD170.302.c – 5: Modify Problems – Inpatient Setting

**Modify the Status** of Congestive Heart Failure from Vendor-supplied (e.g. Active) to Vendor-supplied (e.g. Resolved), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

**Modify the Status** of Acute Myocardial Infarction from Vendor-supplied (e.g. Active) to Vendor-supplied (e.g. Inactive), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

Revised Problem List

Using ICD-9 Codes

- Congestive Heart Failure, ICD-9 Code: 428.0, **Status:** Vendor-supplied (e.g. Resolved), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)
- Acute Myocardial Infarction, ICD-9 Code: 410.90, **Status:** Vendor-supplied (e.g. Inactive), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)
- Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)

- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)

**Revised Text:**

TD170.302.c – 5: Modify Problems – Inpatient Setting

**Modify the Status** of Congestive Heart Failure from Vendor-supplied (e.g. Active) to Vendor-supplied (e.g. Resolved), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

**Modify the Status** of Acute Myocardial Infarction from Vendor-supplied (e.g. Active) to Vendor-supplied (e.g. Inactive), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)

Revised Problem List

Using ICD-9 Codes

- Congestive Heart Failure, ICD-9 Code: 428.0, **Status:** Vendor-supplied (e.g. Resolved), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)
- Acute Myocardial Infarction, ICD-9 Code: 410.90, **Status:** Vendor-supplied (e.g. Inactive), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010), **Date Modified:** Vendor-supplied (e.g. August 29, 2010)
- **Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496.0**, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)

## 7. Technical Correction to Test Data #6a

**Date:** December 3, 2010

**TP Version:** Version 1.1, September 24, 2010

**TP Section:** Test Data, page 14

**Description:** Changed ICD-9 code for Chronic Obstructive Pulmonary Disease in TD170.302.c – 6a: Retrieve Problems – Inpatient Setting.

**Text Prior to Revision:**

TD170.302.c – 6a: Retrieve Problems – Inpatient Setting

Active Problems only

Using ICD-9 Codes

- Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)

**Revised Text:**

TD170.302.c – 6a: Retrieve Problems – Inpatient Setting

Active Problems only

Using ICD-9 Codes

- **Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496**, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)

## 8. Technical Correction to Test Data #6b

**Date:** December 3, 2010

**TP Version:** Version 1.1, September 24, 2010

**TP Section:** Test Data, page 14

**Description:** Changed ICD-9 code for Chronic Obstructive Pulmonary Disease in TD170.302.c – 6b: Retrieve Problem History – Inpatient Setting.

**Text Prior to Revision:**

TD170.302.c – 6b: Retrieve Problem History – Inpatient Setting

List of all Problems

Using ICD-9 Codes

- Congestive Heart Failure, ICD-9 Code: 428.0, Status: Vendor-supplied (e.g. Resolved), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010), Date Modified: Vendor-supplied (e.g. August 29, 2010)
- Acute Myocardial Infarction, ICD-9 Code: 410.90, Status: Vendor-supplied (e.g. Inactive), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010), Date Modified: Vendor-supplied (e.g. August 29, 2010)
- Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496.0, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)



**Revised Text:**

TD170.302.c – 6b: Retrieve Problem History – Inpatient Setting

List of all Problems

Using ICD-9 Codes

- Congestive Heart Failure, ICD-9 Code: 428.0, Status: Vendor-supplied (e.g. Resolved), Date Diagnosed: Vendor-supplied (e.g. May 22, 2010), Date Modified: Vendor-supplied (e.g. August 29, 2010)
- Acute Myocardial Infarction, ICD-9 Code: 410.90, Status: Vendor-supplied (e.g. Inactive), Date Diagnosed: Vendor-supplied (e.g. June 24, 2010), Date Modified: Vendor-supplied (e.g. August 29, 2010)
- **Chronic Obstructive Pulmonary Disease, ICD-9 Code: 496**, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. April 4, 2010)
- Essential Hypertension, ICD-9 Code: 401.9, Status: Vendor-supplied (e.g. Active), Date Diagnosed: Vendor-supplied (e.g. March 30, 2010)